

- **Powerful:** 98cc OHV High Performance 4 Cycle Engine
- **High Output:** 2,700 Starting Watts - 2,200 Running Watts
- **Pure Power:** <3% THD of clean power output, sensitive electronics safe
- **Low Idle Technology:** Extended run time of 10.5 hrs at 25% load
- **Quiet Operation:** As low as 54 dB - ideal for home, camping, tailgating & RV
- **Parallel equipped:** Complete with parallel ports for double the power output when linked together
- **Compact Design:** Lightweight for easy to transport with telescoping handle & wheels

 DIGITAL INVERTER
TECHNOLOGY



SUA2700i

Integrated Top Handle



1.0-Gal Tank with 10.5 Hour Runtime



Telescopic Handle



Light Weight For Easy Mobility



98cc Recoil Start Engine



Total Harmonic Distortion < 3% THD



4" Flat Free Wheel



2700
STARTING WATTS
VATIOS DE ARRANQUE
PUISSANCE DE DEMARRAGE

2200
RUNNING WATTS
VATIOS DE CONTINUOS
PUISSANCE DE FONCTIONNEMENT


SUA2700i

iPOWER™

iPOWER™ SUA2700i

SUA2700i

**Data Center Displays;
PowerBar, Fuel Bar, Voltage,
Hours, Frequency & Output
Ready/Overload/Low Oil
LED Indicators**



**L5-30R 30A,
120VAC**




**DC Outlet:
2.4A, 5V, 2xUSB**



**DC Outlet:
8.3A, 12V, Automotive Outlet**



**Low
Idle**



**Fully Integrated
Parallel Capability**




**5-20R 20A,
120VAC**



SUA2700i

Model Number	SUA2700i
Starting/Running Watts	2700/2200W
Certifications	EPA - CARB
AC Voltage	120V
Rated Speed/Frequency	Variable/60Hz
Total Harmonic Distortion (THD)	< 3%
Grounding System	Neutral Floating
Noise Level (dB)	54
Engine Type	Single Cylinder 98cc - 4 Stroke OHV
Starting System	Recoil Start
Low Oil Shtdown	Yes
Cast Iron Sleeve	Yes
Fuel Type	Gasoline
Oil Type and Capacity	10W-30 - 380ml
Low Idle	Yes
Alternator Type	Permanent Magnet - Inverter
Tank	1.0 Gal
Runtime @25% Load	10.5 Hour
Handle	Telescopic - Integrated Top Handle
Wheel	Flat Free 4.0"
AC Outlets	1x5-20R (20A, 120V) - 1xL5-30R (30A, 120V)
DC Outlets	1x Automotive Style (8.3A, 12V) - 2xUSB (2.4A , 5V)
Parallel Capability	Yes
Data Center	Yes
Included	Oil - Funnel - Tool Kit - 30A RV Adaptor - 12VDC Battery Charging Cable - Parallel Cable - Manual - Quick Start Guide
Warranty (Resedential)	3 year
Carton LxWxH	22.0x14.2x20.9 inch
Unit Weight	54 lbs
Shipping Weight	57.3 lbs
UPC	850013862825




FULL PARALLEL INTEGRATION*



**DOUBLES YOUR POWER
ONCE CONNECTED**

Parallel cables included.
Read manual for full instructions.

*NOTE: Maximum output is obtained from the L5-30 twist lock receptacle
* Requires second SUA2700i sold separately.*



www.a-ipower.com
10887 Commerce Way, Unit A
Fontana CA 92337- 8240

Phone: 855-888-3598
Fax: 909-930-3719
support@a-ipower.com
Mon-Fri 8:00 AM to 4:30 PM PST

LEARN MORE HERE

